

#10083025-4

ref. cited by this patent



US005734887A

United States Patent [19]

[11] Patent Number: 5,734,887

Kingberg et al.

[45] Date of Patent: Mar. 31, 1998

[54] METHOD AND APPARATUS FOR LOGICAL DATA ACCESS TO A PHYSICAL RELATIONAL DATABASE

[75] Inventors: Denis G. Kingberg, Raleigh; Ellen Margaret McCubbin, Cary; William John Martin, Apex, all of N.C.

[73] Assignee: International Business Machines Corporation, Armonk, N.Y.

[21] Appl. No.: 536,737

[22] Filed: Sep. 29, 1995

[51] Int. Cl.⁶ G06F 17/30

[52] U.S. Cl. 395/604; 395/611

[58] Field of Search 395/604, 611

[56] References Cited

U.S. PATENT DOCUMENTS

5,206,951	4/1993	Khoyi et al.	395/650
5,261,080	11/1993	Khoyi et al.	395/500
5,295,222	3/1994	Wadhwa et al.	395/1
5,303,379	4/1994	Khoyi et al.	395/700
5,307,484	4/1994	Baker et al.	395/600

OTHER PUBLICATIONS

538472 → ✓ Casey, Logical Data Interface, IBM TDB, vol. 16, No. 4, Sep. 1973 pp. 1203-1207.

538477 → ✓ Meltzer, Terminology and an Architecture on Data Independence, IBM TDB, vol. 14, No. 12, May 1972, pp. 3709-3712.

538478 → ✓ IBM TDB, vol. 29, No. 7, Dec. 1986, pp. 2894-2900, Lerner, "Access Independent Query Definition in IBM DL/I".

538479 → ✓ IBM TDB, vol. 26, No. 5, Oct. 1983, pp. 2557-2559, Pullin et al, "Method for Accessing Hierarchical Views of a Binary Relational Database".

538471 → ✓ IBM TDB, vol. 32, No. 9B, Feb. 1990, pp. 98-102, Ritland, "Call-Type API to SQL/DS with Externally Described Operations".

538470 → ✓ IBM TDB, vol. 36, No. 7, Jul., '93, pp. 545-546, Anderson et al, "Code Generation for an Object Oriented Applications".

✓ IBM TDB, vol. 28, No. 2, Jul. 1985, p. 561, Chan et al, "Isolating the Application Program from the Physical Database Organization".

✓ Computer, Dec. 1986, pp. 26-36, Mark et al, "Metadata Management" Dec. 1986, Mark et al.

✓ Computer, Dec. 1986, pp. 37-44, Wiederhold, "Views, Objects, and Databases", Gio Wiederhold.

✓ Computer, Jan. 1986, pp. 63-73, Keller, "The Role of Semantics in Translating View Updates", Jan. 1986.

Article by P. Palvia, Memphis State University, Nat'l. Computer Conf. 1987, pp. 573-582, "How sensitive is the physical database design? Results . . .".

✓ Byte, Apr. 1989, pp. 221-233, Orr et al, "Methodology: The Experts Speak".

ACM Trans. on Office Info. Systems, vol. 5, No. 1, Jan. 1987, pp. 48-69, Fishman et al. "Iris: An Object-Oriented Database Management System".

Computer, Dec. 1991, pp. 55-62, Collet et al, "Resource Integration Using a Large Knowledge Base in Carnot".

✓ Dr. Dobb's Journal, Nov. 1994, pp. 36-40 & cont'd. "Database Management in C++".

Primary Examiner—Thomas G. Black

Assistant Examiner—Paul K. Lintz

Attorney, Agent, or Firm—John D. Flynn

[57] ABSTRACT

Logical Data Access to the physical structure of a relational database is provided for one or more Applications. Applications are developed using the logical entity types and logical entity type attribute names as described in a logical data model. The Applications then use a Logical Data Access Interface to access each of the required physical relational database tables via the Logical Data Access Layer. Applications then use logical entity type and logical entity type attribute names as specified in the Logical Data Model in making Logical Data Requests to the Logical Data Access Layer. The Logical Data Access Layer provides a rich set of functions for allowing an Application to control and manage a database, build and execute database queries and interface with physical database. The Logical Data Access Layer determines which of the physical tables and associated columns are required to satisfy the Application request and then builds one or more database query statements containing the appropriate physical table and column names.

16 Claims, 33 Drawing Sheets

